

## Topic 2:


# At the roots of unsustainability: the Anthropocene



1965 Adlai Stevenson II  
(US ambassador at UN)  
speech in Geneva, 9th July

**Earth as a spaceship**

*(focus on EQUITY)*



February 5, 1900 – July 14, 1965

We travel together, passengers on a **little spaceship**, dependent on its vulnerable reserves of air and soil; all committed for our safety to its security and peace; preserved from annihilation only by the care, the work, and, I will say, the love we give our fragile craft.

**We cannot maintain it half fortunate, half miserable, half confident, half despairing,**

half slave [...] **half free in a liberation of resources undreamed of until this day.**

**No craft, no crew can travel safely with such vast contradictions.**

**On their resolution depends the survival of us all**

# 1966: The economics of coming Spaceship Earth

K. E. Boulding (1910-1993)



"The closed economy of the future might similarly be called the 'spaceman' economy, in which the earth has become a single spaceship, without unlimited reservoirs of anything, either for *extraction* or for *pollution*, and in which, therefore, man must find his place in a *cyclical ecological system*»

***See also Barbara Ward Spaceship Earth (1966)***

## Anthropocene

Geological epoch???

# Geologic Time Scale



•The geologic time scale is like a calendar extending from Earth's formation to the present. The scale is divided into eons, eras, period and epochs.

**GEOLOGICAL TIMES:**  
defined by major geological events and changes in species

- Eon:** The largest group: billions of years long
- Era:** mass extinctions mark the boundaries between the eras; hundreds of millions of years long
- Period:** tens of millions of years long
- Epoch:** divisions of the most recent periods; several million years long.

Geologic Periods					
Eons	Eras	Period	Epoch	Start Date	Event
Phanerozoic	Cenozoic	Quaternary*	Holocene	0.01	End of most recent Glaciation until Present (Current Interglacial period)
			Pleistocene	1.8	Repeated Glaciations
		Tertiary	Pliocene	5	Forests and Cooler Temperatures - Ape and Monkey Lineages Separate from Common Ancestor
			Miocene	23	Rise of grasses
			Oligocene	34	Fewer new mammals appear than post-extinction burst in Eocene
			Eocene	55	First Glaciers in Antarctica Begins with Grande Copture, a mass extinction (meteorites in Siberia & Chesapeake?)
	Paleocene		65	Paleocene-Eocene Thermal Maximum Many new angiosperm families	
	Mesozoic	Cretaceous	Named, but we won't use	144	Second Largest Extinction Event Flowering Plants appear
		Jurassic		206	Mammals common but small
					Pangaea breaks into Laurasia and Gondwana
	Triassic		248	First Mammals appear, Reptiles dominate vertebrates	
	Paleozoic	Permian		290	First Conifers appear Pangaea forms (Appalachian Mts.)
		Carboniferous		354	First Land Vertebrates Primitive Plants form forests
		Devonian		417	Ferns and Fern Allies appear
		Silurian		443	First Jawed Fish First Land Plants
		Ordovician		490	First Vertebrate Fossils
		Cambrian		543	Invertebrate fossils
	Proterozoic			2500	O <sub>2</sub> accumulates in atmosphere - Multicellularity
Precambrian	Archaen			3800	First Microfossils of Prokaryotes / Eukaryote origin?
	Hadean			4500	

## Geologic Time Scale



Industrial revolution (1800 A.D.) →

## ANTHROPOCENE?

- Crutzen, P. J. & Stoermer, E. F. 2000 The Anthropocene. *Global Change Newsl.* **41**, 17–18.
- Crutzen, P. J. 2002 Geology of mankind: the Anthropocene. *Nature* **415**, 23.

# Antecedents

- Stoppani, A. 1873 *Corso di geologia*, vol. II (eds G. Bernardoni & G. Brigola). Milan, Italy.
- Marsh, G. P. 1874 *The earth as modified by human action: a new edition of 'Man and Nature'*.

## “Anthropozoic era”

In the chapter ‘Carbon and living matter in the earth’s crust’ of his *Geochemistry*,

**Vernadsky** wrote:


‘But in our geologic era, in the **psychozoic era—the era of Reason**—a new geochemical factor of paramount importance appears.

During the last 10 000 or 20 000 years,

**the geochemical influence of agriculture** has become unusually intense and diverse.

We see a surprising speed in the growth of mankind’s **geochemical work**.

We see a more and more pronounced influence of **consciousness and collective human reason upon geochemical processes**.



1863 - 1945

*The Biosphere* (1926)


Formerly, organisms affected the history only of those atoms that were necessary for their respiration, nutrition and proliferation.

Man has widened this circle, exerting influence upon elements necessary for technology and for the creation of civilized forms of life.

Man acts here not as *homo sapiens*, but as *homo sapiens faber*' [21, p. 342; 23, pp. 219–220].

*Steffen, W., Grinevald, J., Crutzen, P., & McNeill, J. (2011).*

Henri BERGSON *L'Evolution Créatrice* (1907)  
'A century has elapsed since the invention of the **steam engine**, and we are only just beginning to feel the depths of the **shock** it gave us. . . . In thousands of years, when, seen from the distance, [...] our wars and our revolutions will count for little [...]; but the steam engine, and the procession of inventions of every kind that accompanied it, will perhaps [...] serve to define an age.'





A) 'Man: a new geological force'  
B) Evolution of the biosphere and its transformation by the development of human's noösphere<sup>^</sup> (including the **technosphere** and the so-called **industrial metabolism**).

## → *The Earth as Transformed by Human Action*

<sup>^</sup>Noösphere: Teilhard de Chardine, Vernadsky, Le Roy, Paris, 1920s

- 1) making stone tools and rudimentary weapons.
- 2) Later:  
hominids learned how to **control and manipulate fire**,  
which helped
  - in their hunt for food sources,
  - to keep dangerous animals away from the hominid camps at night.

3) Access to protein-rich food source:  
from a primarily vegetarian diet to an omnivorous diet  
→ shift in the physical and mental capabilities of early humans,  
brain size grew threefold, to about 1300 cm<sup>3</sup>,  
(humans have the largest brain-to-body ratio of any animal)  
→ development of spoken language,  
→ and later written language,  
both facilitating  
the accumulation of knowledge  
and social learning from generation to generation.

INFLUENCE OF humans and their ancestors? YES!

BUT never able to deeply transform the ecosystems around them.

observation and trial-and-error →  
more effective knowledge  
and increased modification of our environment

Neolithic Revolution: advent of agriculture

- the clearing of forests and conversion of land to cropping (8000 yrs ago)
- the development of irrigated rice cultivation (5000 yrs ago)

HOWEVER humans could not modify  
the chemical composition of the atmosphere  
or the oceans at the global level



massive—and rapidly increasing—store of **knowledge**

upon which humanity has eventually developed complex civilizations

and continues to increase its **power to manipulate the environment.**

Primary energy sources of the past:

- tightly constrained in magnitude and location

biomass, water, wind, animals

All of these energy sources ←  
from the FLOW of energy from the Sun

which drives atmospheric circulation and the hydrological cycle and

provides the fundamental energy source for photosynthesis.

The discovery and exploitation of **fossil fuels**:  
a vast energy store of solar energy from the past  
accumulated from tens or hundreds of millions of years of  
photosynthesis.

## STOCK!!!

They are perfect fuel sources

- energy-rich,
- dense,
- easily transportable
- relatively straightforward to access.

Human energy use rose sharply.

### LOTKA: EXOSOMATIC vs ENDOSOMATIC energy USE

The first significant human use of fossil fuels:

Coal

Song dynasty (960–1279) in China (mines in the north)

UK: By the 1600s, the city of London burned around 360 000 tonnes  
of coal annually

The Chinese and English combustion of coal had  
no appreciable impact on the  
atmospheric concentration of CO<sub>2</sub>

BIG CHANGE started with INDUSTRIAL REVOLUTION, 1800s

EXAMPLES:

rapid increase in the CONVERSION  
of natural ecosystems, primarily forests,  
into cropland and grazing areas owing  
to mechanized clearing technologies.

The increase in the

diversion of water from rivers

through the construction of large dams.

Let us see the video

[300 Years of FOSSIL FUELS in 300 Seconds](#)

at Smulders (1999, p. 610)

“environmental and natural resource constraints did not turn the historical growth process into stagnation.

Instead, accumulation of human knowledge [...] allowed the economy to expand within the fixed physical system of the earth. [...]

(man) continually creates new knowledge to derive more value from *a given amount of physical resources*”

(emphasis added)


Past → future???

Given amount??? Growing

**Given** amount??? Growing!!!

The same confusion between available and actually used resources is also in Aghion Howitt, 1998, p. 151:

“If it had not been for resource-saving innovations it is unlikely that our *finite* planet could have supported the expansion in material welfare” (emphasis added)



# Economic growth theory


Engine: human intelligence

Fuel???

Fossil fuels (STOCK)!!! ...

Georgescu Roegen: matter matters too!

Socio-Economic trends 1830→2010




# OUR WORLD IN DATA

<https://ourworldindata.org/global-energy-200-years>

## Global primary energy consumption by source


Primary energy<sup>1</sup> is based on the substitution method<sup>2</sup> and measured in terawatt-hours<sup>3</sup>.



Data source: Energy Institute - Statistical Review of World Energy (2023); Smil (2017)

OurWorldInData.org/energy | CC BY 9

Note: In the absence of more recent data, traditional biomass is assumed constant since 2015.



## The Great Acceleration: An Environmental History of the Anthropocene since 1945

by J. R. McNeill, Peter Engelke


## The Great Acceleration

The human enterprise switched gears after World War II.




Although the imprint of human activity on the global environment was, by the mid-twentieth century, clearly discernible beyond the pattern of Holocene variability in several important ways,

the rate at which that imprint was growing increased sharply at midcentury.

The change was so dramatic that the 1945 to 2000+ period has been called the Great Acceleration









Krausmann, F., Gingrich, S., Eisenmenger, N., Erb, K. H., Haberl, H., & Fischer-Kowalski, M. (2009). Growth in global materials use, GDP and population during the 20th century. *Ecological Economics*, 68(10), 2696-2705.

# HOCKEY STICKS: the great acceleration



<https://www.youtube.com/watch?v=1JAOXTowjdY>

35

## SAVE THE PLANET ???



36

# CAPITALOCENE?

Moore, Jason W., "Anthropocene or Capitalocene? Nature, History, and the Crisis of Capitalism" (2016). Sociology Faculty Scholarship.  
[https://orb.binghamton.edu/sociology\\_fac/1/](https://orb.binghamton.edu/sociology_fac/1/)

<https://global.ilmanifesto.it/anthropocene-more-like-capitalocene/>

[Review: Anthropocene or Capitalocene?](https://www.simonspire.com/blog/anthropocene-or-capitalocene)

<https://www.simonspire.com/blog/anthropocene-or-capitalocene>

## **GEOENGINEERING to CONTRAST CLIMATE CHANGE**

(??? → See the paper by Steffen et al. in the elearning platform)

ALSO <https://www.geoengineeringmonitor.org/technologies/>

*Categorized by*

*A) different approaches*

- solar radiation management
- carbon dioxide removal
- weather modification,

*B) by WHERE they intervene*

- Land
- Air
- Water

*C) What of the two links they address*

Emissions → Concentrations → → Temperatures

→ GHGs removal: Carbon GeoEng

→ → Increase of Sunlight reflection: Solar GeoEng


## Surface Albedo Modification

Type: **Solar Radiation Management**

Location: **Forests, farms and plantations**

Impacts: **Land**

Proposal: **Modify the surface of the earth in order to reflect more sunlight back into space**



A wide range of proposals fall within the category of surface albedo modification – from genetically engineering crops to reflect more light, to the clearing of boreal forest in snow covered areas; from covering large desert or ice areas with reflective materials to whitening mountaintops and roofs with white paint – all with a common goal: to increase the earth's surface albedo.



## Stratospheric Aerosol Injection (SAI)

Type: **Solar Radiation Management**

Location: **Upper atmosphere**

Impacts: **Air, Land**

Proposal: **Spray sulphites or other particles into the stratosphere to block the sun**



SAI proposes to spray large quantities of sulphur particles (e.g. sulphur dioxide) into the stratosphere (the upper layer of the atmosphere) to act as a reflective barrier against incoming sunlight. Proposals range from shooting particles from artillery guns, using large hoses to the sky or emptying particles from the back of aircraft. The design of self-levitating particles, as well as the use of particles of other reflective minerals (e.g. titanium or aluminum) have also been considered.

[READ OUR BRIEFING](#)




# Cirrus Cloud Thinning

Type: **Earth Radiation Management**

Location: **Atmosphere**

Impacts: **Air**

Proposal: **Drones spray substances that dissipate cirrus clouds**



By thinning cirrus clouds (wispy, elongated clouds at high altitudes), some researchers have proposed that more heat could be allowed to escape into space, creating an overall cooling of the climate.

[READ OUR BRIEFING](#)


# Ocean Fertilization

Type: **Carbon Dioxide Removal**

Location: **Ocean**

Impacts: **Ocean**

Proposal: **Dump iron pellets into the ocean to stimulate plankton growth**



Ocean fertilization refers to dumping iron (as powdered iron sulphate) or other nutrients (e.g. urea) into the ocean in areas with low biological productivity in order to stimulate phytoplankton growth. In theory, the resulting phytoplankton draw down atmospheric CO<sub>2</sub> and then die, falling to the ocean bed and sequestering carbon.


**The antithesis of geoengineering—  
is the planetary boundaries concept (Rockström et al.)**

The approach recognizes the severe risks associated with trying to deliberately manipulate the Earth system to counteract deleterious human influences, given **the lack of knowledge** of the functioning of the Earth system and the possibility of abrupt and/or irreversible changes, some of them very difficult to anticipate, when complex systems are perturbed.

The planetary boundaries approach is thus explicitly based on returning the Earth system to the Holocene domain,

Safe minimum standard of conservation (1952!!!) (in resources)  
**Siegfried von Ciriacy-Wantrup, 1906-1980**

Conceptual description of planetary boundaries.




The boundaries are values of the **control variable** set at a 'safe' distance from the threshold

‘SAFE’ ? value judgement  
based on how societies deal with risk and  
uncertainty.

HOWEVER: Thresholds/tipping points are  
intrinsic features of the Earth system  
independent of human actions or desires.

**Rockström et al. (2009, Nature)** suggest that  
nine planetary boundaries comprise  
the set that defines the safe operating space  
for humanity.






Earth-system process	parameters	proposed boundary	current status	pre-industrial value
climate change	(i) atmospheric carbon dioxide concentration (parts per million by volume)	350	387	280
	(ii) change in radiative forcing (watts m <sup>-2</sup> )	1	1.5	0
rate of biodiversity loss	extinction rate (number of species per million species per year)	10	>100	0.1–1
nitrogen cycle (part of a boundary with the phosphorus cycle)	amount of N <sub>2</sub> removed from the atmosphere for human use (millions of tonnes per year)	35	121	0
	phosphorus cycle (part of a boundary with the nitrogen cycle)	quantity of P flowing into the oceans (millions of tonnes per year)	11	8.5–9.5


stratospheric ozone depletion	concentration of ozone (Dobson unit)	276	283	290
ocean acidification	global mean saturation state of aragonite in surface sea water	2.75	2.90	3.44
global freshwater use	consumption of freshwater by humans (km <sup>3</sup> yr <sup>-1</sup> )	4000	2600	415
change in land use	percentage of global land cover converted to cropland	15	11.7	low
atmospheric aerosol loading	overall particulate concentration in the atmosphere, on a regional basis	to be determined		
chemical pollution	for example, amount emitted to, or concentration of persistent organic pollutants, plastics,	to be determined		

# THERE ARE FUNDAMENTAL *ECOLOGICAL* CONSTRAINTS



Rockström, J., et al. 2009. A safe operating space for humanity. *Nature* 461:472-475

Steffen, W., J. Rockström, and R. Costanza. 2011. How Defining Planetary Boundaries Can Transform Our Approach to Growth. *Solutions*. Vol 2, No. 3, May 2011



## The Sustainable and Desirable "doughnut"

(after: K. Raworth. 2012. A safe and just space for humanity: can we live within the doughnut? Oxfam International)

The ultimate drivers of the Anthropocene [...] if they continue unabated through this century, may well threaten the viability of contemporary civilization and perhaps even the future existence of Homo sapiens.

(Steffen et al, 2011)

KW KAPP →...

Kapp, K.W. (1976), 'The Open System Character of the Economy and its Implications', in K. Dopfer (ed.), *Economics in the Future: Towards a New Paradigm*, London: Macmillan, pp. 90–105

"The open system character of the economy and its implications", in K. Dopfer, 1976

**Karl William Kapp**

(1910-1976)

Have we really understood the full implications of the fact that serious incompatibilities may develop between economic and ecological (as well social) systems, which **threaten**

✘ **the economic process,**  
✘ **its social reproduction,**

and hence the continued guarantee of  
★ **human well-being**  
★ **and survival ?**