

NON MONETARY EVALUATION METHODS

- 1) To accept (physical and social) complexity
- 2) Policy tools: those that accept complexity

E.G. social multicriteria decision aid,
SocialMulticriteriaEvaluation (G. Munda - UAB)

What is most important:
QUALITY of the evaluation process

Complexity

- Different NON-EQUIVALENT description of
- NESTED hierarchical systems
- Different time-space scales

What seems to go at one scale is bad at the other:
e.g. paying taxes, good at the individual scale, bad at the
macro-scale

Which are the boundaries of what the researcher want to
observe?

→NON-NEUTRALITY OF SCIENCE

Social complexity: different point of view of actors and
stakeholders

COMPLEXITY

COMPLEX SYSTEMS
CANNOT BE CAPTURED
BY A SINGLE
DIMENSION/PERSPECTIVE

Mario Giampietro (UAB)

Fig. 1.2

Non-equivalent
views of the
same person

TRUE
PICTURE of
this lady?








Fig. 1.2
Non-equivalent
views of the
same person



**All the pictures are
useful:
we need different
descriptions
for different purposes**


HOWEVER, how can we combine different
non-equivalent descriptions to choose ...

for instance

- a car?

- A smartphone?

- The partner?



Matrix of the IMPACTS

		Alternatives			
Criteria		a_1	a_2	...	a_n
g_1		$g_1(a_1)$	$g_1(a_2)$...	$g_1(a_n)$
...	
g_m		$g_m(a_1)$	$g_m(a_2)$...	$g_m(a_n)$

Example

	Alternatives → Criteria ↓	A	B	C
+	g1.1	43	34	2
+	g1.2	Moderate	Very good	Good
+	g1.3	1°	2°	3°
-	g2.1	234	12	100
+	g2.2	≈100	≈135	≈200
-	g3.1	12	34	44
+	g3.2	no	si	Si
+	g3.3	12	6	3
+	g3.4	13.2	18	14

The story starts in 1770 when Borda worried whether Academy's decisions reflected who they truly wanted as a president. His concern was not whether the voters were informed or voted, but rather about how they tallied the ballots.

Through a cleverly constructed example, Borda demonstrated that the Academy's procedure was so bad that they could elect someone who they actually viewed as the worst!

Clearly, such a misguided procedure should have been tossed into the trash heap of history.

It was not; instead we still use it to select members of the Senate, Congress, City Councils, Mayors, Assemblies, and, indirectly, the President of the USA.


This highly flawed approach is
the standard **plurality vote**
where we vote for one candidate
and the winner is the candidate with the most votes.

SAARI: <https://zdoc.site/the-symmetry-and-complexity-of.html>

From the matrix of the impacts to ranking alternatives

Compensative methods


		A	B	C
+	g1.1	43	34	2
+	g1.2	Mod	Very G	Good
+	g1.3	1°	2°	3°
-	g2.1	234	12	100
+	g2.2	≈100	≈135	≈200
-	g3.1	12	34	44
+	g3.2	no	yes	YES
+	g3.3	12	6	3
+	g3.4	13.2	18	14



BORDA:
n-1 score to the first
n-2 to the second

	A	B	C
g1.1	2	1	0
g1.2	0	2	1
g1.3	2	1	0
g2.1	0	2	1
g2.2	0	1	2
g3.1	2	1	0
g3.2	0	1.5	1.5
g3.3	2	1	0
g3.4	0	2	1
BORDA	8	12.5	6.5

		A	B	C
+	g1.1	43	34	2
+	g1.2	Mod	Very G	Good
+	g1.3	1°	2°	3°
-	g2.1	234	12	100
+	g2.2	≈100	≈135	≈200
-	g3.1	12	34	44
+	g3.2	no	yes	YES
+	g3.3	12	6	3
+	g3.4	13.2	18	14



Cost Benefit
converts into monetary units

	A	B	C
g1.1	43	34	2
g1.2	5	18	9
g1.3	23	18	12
g2.1	-23	-1	-10
g2.2	10	13.5	20
g3.1	-3	-20	-100
g3.2	0	6	7
g3.3	12	6	3
g3.4	10	15	12
C-B	77	89.5	-45

From the matrix of the impacts to ranking alternatives

NON Compensative methods

	Alt-s→ criteria↓	A	B	C	ranking
+	g1.1	43	34	2	ABC
+	g1.2	Moderate	Very Good	Good	BCA
+	g1.3	1°	2°	3°	ABC
-	g2.1	234	12	100	BCA
+	g2.2	≈100	≈135	≈200	CBA
-	g3.1	12	34	44	ABC
+	g3.2	no	yes	YES	CBA
+	g3.3	12	6	3	ABC
+	g3.4	13.2	18	14	BCA

Rankings	criteria
ABC	4
BCA	3
CBA	2

Rankings	criteria
ABC	4
BCA	3
CBA	2

Standard plurality election

A=4 > B=3 > C=2

BORDA argument:

If B were not there?

C:A = 5:4

If C were not there?

B:A = 5:4

A is the WORST!!!

Borda Count:

1st → 2, 2° → 1

A=8

B=6+2+4 = 12

C=3+4 = 7

**CONDORCET:
pairwise
comparisons:**

A vs B 4: 5

A vs C 4: 5

B vs C 7: 2

Condorcet winner: B,
B beats every other alt.

Condorcet loser: A,
A loses with every other alt.

***! Not always BORDA selects
the Condorcet winner!***

**From the impact matrix to the OUTRANKING matrix
(Condorcet methods)**

		A	B	C
+	g1.1	43	34	2
+	g1.2	Mod	Very G	Good
+	g1.3	1°	2°	3°
-	g2.1	234	12	100
+	g2.2	≈100	≈135	≈200
-	g3.1	12	34	44
+	g3.2	no	yes	YES
+	g3.3	12	6	3
+	g3.4	13.2	18	14

‘Outranking’ matrix


	A	B	C
A	-	4	4
B	5	-	7
C	5	2	-

Number of criteria for which an alternative in the rows is better than the alternative in the columns

	A	B	C
A	-	4/9=44.4%	44.4%
B	55.6%	-	77.7%
C	55.6%	22.3%	

Weight			A	B	C
11	+	g1.1	43	34	2
11	+	g1.2	Mod	Very G	Good
11	+	g1.3	1°	2°	3°
16.5	-	g2.1	234	12	100
16.5	+	g2.2	≈100	≈135	≈200
8.25	-	g3.1	12	34	44
8.25	+	g3.2	no	yes	YES
8.25	+	g3.3	12	6	3
8.25	+	g3.4	13.2	18	14
100					

Equal weight for THEME, area, dimension



	A	B	C
A	-	$11+11+8.25+8.25=39$	$11+11+8.25+8.25=39$
B	$11+16.5+16.5+8.25+8.25=60$	-	$11+11+11+16.5+8.25+8.25+8.25=75.25$
C	$11+16.5+16.5+8.25+8.25=60$	$16.5+8.25=24.75$	-

From the outranking matrix to the ranking:
Kemeny & Young-Levenglick method

	A	B	C
A	-	4	4
B	5	-	7
C	5	2	-

	Kemeny score
ABC	$4+4+7=15$
ACB	$4+4+2=10$
BAC	$5+7+4=16$
BCA	$5+7+5=17$
CAB	$5+2+4=11$
CBA	$5+2+5=12$

An interesting example ...

criteri	ordin
24	ABC
2	ACB
16	BAC
15	BCA
27	CAB
16	CBA
100	

Outranking matrix

	A	B	C
A	-	53	42
B	47	-	55
C	58	45	-

A>B, B>C, C>A: cycle!

	I	II	Borda	
A	26	43	95	III
B	31	40	102	II
C	43	17	103	I

Standard plurality: C

	kemeny score
ABC	150
ACB	140
BAC	144
BCA	160
CAB	156
CBA	150

Different example: neither the simple plurality voting neither the two-round voting system elects condorcet Winner

Borda count
 A=14
B=6+7+5 = 18
 C=3+10=13

rankings	votes
ABC	7
BCA	3
CBA	5

Pairwise comparison:

A vs B 7 : 8

A vs C 7 : 8

B vs C 10 : 5

Condorcet winner: B
 Condorcet loser: A



Plurality voting
A=7 > C=5 > B=3


2-rounds: B out, then C vs
 A=8:7

Dalla matrice degli impatti all'ordine delle altern.: metodi *non compensativi* (a la Condorcet) 2° passo con metodi ELECTRE e simili

	A	B	C
A	-	4	4
B	5	-	7.5
C	5	1.5	-

Relazione di preferenza con soglia > 50%


	A	B	C
A		0	0
B	1		1
C	1	0	



Nucleo: {B}

Relazione preferenza con soglia > 60%

	A	B	C
A		0	0
B	0		1
C	0	0	




Nucleo: {A,B}

Nucleo:

- i nodi appartenenti al nucleo sono fra loro non confrontabili rispetto alla relazione Preferenza;
- per ogni nodo fuori dal nucleo c'è ne è almeno uno nel nucleo che è ad essi preferito

Is it always a good idea to elect condorcet winner?

Rankings	Votes/criteria
ACBD	52
BCDA	24
DCBA	20
CBDA	4



	A	B	C	D
A	-	52	52	52
B	48	-	24	80
C	48	76	-	80
D	48	20	20	-

4) Borda Count (3 to the 1st ...)

A=156

B=52+72+20+8= 152

C=104+48+40+12=204

D=24+60+4= 88

1) Plurality

A=52 > B=24 > D=20 > C=4

2) Two-steps plurality

A vs B = 52:48

3) Condorcet winner: A

In this example most methods elect **A**, a candidate that is the worse for 48% of the voters. **Borda count elects C**, a candidate which ranks SECOND for 96% of the voters and FIRST for the 4%.